

																<b>MASTER</b>		
<b>A. AIRWAY MANAGEMENT</b>	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM
Oropharyngeal airways: 00, 0, 1, 2, 3, 4, 5, 6 (40mm, 50mm, 60mm, 70mm, 80mm, 90mm, 100mm, 110mm)	X	1	ea	X	1	ea	X	1	ea	X	1	ea						
Nasopharyngeal airways: 18, 20, 22, 24, 26, 28, 30, 32, 34	X	1	ea	X	1	ea	X	1	ea	X	1	ea						
Non-Rebreather Masks (Adult)	X	2		X	2		X	2		X	2							
Non-Rebreather Masks (Pediatric)	X	2		X	2		X	2		X	2							
Non-Rebreather Masks (Infant)	X	2		X	2		X	2		X	2							
Nasal cannula (Adult)	X	2		X	2		X	2		X	2							
Nasal cannula (Pediatric)	X	2		X	2		X	2		X	2							
O <sub>2</sub> tank – vehicle mounted ( <i>M-tank with at least 500 PSI</i> )	X	1		X	1		X	1		X	1							
O <sub>2</sub> tank (portable) ( <i>D or E size with at least 500 PSI</i> )	X	1			1		X	1			1							
Oxygen Regulator ( <i>capable of delivering flow rates from 2-25 lpm</i> )	X	1		X	1		X	1		X	1							
Self-inflating resuscitation Bag-Valve device, with clear mask, capable of use with O <sub>2</sub> : adult, pediatric and infant	X	1	ea	X	1	ea	X	1	ea	X	1	ea						
Portable Suction with regulator <b>OR</b> Portable suction with adult/pediatric ( <i>e.g., high/low</i> ) settings	X	1		X	1		X	1		X	1							
Wide bore tubing for portable suction	X	2		X	2		X	2		X	2							
Pharyngeal tonsil tip (rigid) for suctioning	X	2		X	2		X	2		X	2							
Water soluble lubricant – individual packets	X	2	ea	X	2	ea	X	3	ea	X	3	ea						
Pulse oximeter (adult & pediatric probes)	X	2	ea	X	2	ea	X	2	ea	X	2	ea						
<b>B. TRAUMA</b>	BLST	QTY	UOM	BLSNT	QTY	UOM	ALST	QTY	UOM	ALSNT	QTY	UOM	CCT	QTY	UOM	HELO	QTY	UOM
Quikclot Combat Gauze® LE	X	1		X	1		X	1		X	1							
Band-Aids	X	10		X	10		X	10		X	10							
4x4" non-sterile bandage compresses or equivalent	X	50		X	50		X	50		X	50							
4x4" sterile gauze pads	X	12		X	12		X	12		X	12							
3" rolled bandages (Kling, Kerlix, etc)	X	4		X	4		X	4		X	4							
40" triangular bandages	X	2		X	2		X	2		X	2							
10x30" or larger universal dressing	X	2		X	2		X	2		X	2							
1" or 2" adhesive tape	X	2		X	2		X	2		X	2							
Shears	X	1		X	1		X	1		X	1							
Chest seal ( <i>e.g., Asherman, Halo, Sam</i> )	X	2		X	2		X	2		X	2							
Arm splints – with soft or cushioned surface ( <i>must be able to accommodate adult/pediatric/infants</i> )	X	2		X	2		X	2		X	2							
Leg splints – with soft or cushioned surface ( <i>must be able to accommodate adult/pediatric/infants</i> )	X	2		X	2		X	2		X	2							
Traction splints – Adult/Pediatric	X	1		X	1		X	1		X	1							
Vacuum Splint (full body)							X	1										
Xray translucent spineboard	X	1		X	1		X	1		X	1							
Spineboard padding	X	1		X	1		X	1		X	1							
Spineboard Patient Securing System ( <i>e.g., long strap, spider strap, etc.</i> )	X	1		X	1		X	1		X	1							
Kendrick Extrication Device (KED)	X	1		X	1		X	1		X	1							
Head immobilizer – disposable or impervious to bodily fluids	X	2		X	2		X	2		X	2							
Cervical collars ( <i>sizes to fit all patients over one (1) year of age</i> )	X	2		X	2		X	2		X	2							

Scoop stretcher with straps (or equivalent)	X	1					X	1											
Combat Tourniquet approved by COTCCC <sup>1</sup> (e.g., C-A-T® or Sof-T)	X	1		X	1		X	1		X	1								
Triage tags	X	20		X	20		X	20		X	20								
<b>C. GENERAL EQUIPMENT</b>	<b>BLST</b>	<b>QTY</b>	<b>UOM</b>	<b>BLSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>ALST</b>	<b>QTY</b>	<b>UOM</b>	<b>ALSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>CCT</b>	<b>QTY</b>	<b>UOM</b>	<b>HELO</b>	<b>QTY</b>	<b>UOM</b>	
Blood pressure cuffs with sphygmomanometers (portable): Adult, Large arm, Pediatric, Infant	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Stethoscope: Adult/Pediatric (or combination)	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Sterile burn sheets	X	1	set	X	1	set	X	1	set	X	1	set							
Sterile saline for wound irrigation	X	2000	cc	X	2000	cc	X	2000	cc	X	2000	cc							
Cold packs	X	6		X	6		X	6		X	6								
Glucometer	X	1		X	1		X	1		X	1								
Glucometer test strips	X	10		X	10		X	10		X	10								
Thermometer (electronic)	X	1		X	1		X	1		X	1								
Obstetrical Kit (sterile, to include minimum of umbilical cord tape or clamps (2), 1 scissors or scalpel, 1 aspirating bulb syringe, 1 pair gloves, 2 drapes, dressings & towels, clean plastic bag)	X	1		X	1		X	1		X	1								
Newborn Stocking Cap	X	1		X	1		X	1		X	1								
Emergency thermal blanket (reflective foil)	X	2		X	2		X	2		X	2								
Stairchair	X	1					X	1											
Ambulance gurney – capability for elevating the head and be adjustable, straps for securing patient to gurney, non-permeable covering material, means of securing gurney in vehicle.	X	1					X	1											
Automated External Defibrillator (AED)	X	1		X	1														
Razor	X	2		X	2		X			X									
Defibrillator pads (adult & pediatric)							X	1	ea	X	1	ea							
AED pads (adult & pediatric)	X	1	ea	X	1	ea	X	1	ea	X	1	ea							
Chest compression metronome ( <i>must provide auditory and visual indicator at rate of 120. Cardiac monitors and AEDs equipped with metronome are acceptable</i> )	X	1		X	1		X	1		X	1								
Ankle and wrist restraints (4 per set)	X	1	set				X	1	set										
Ambulance child restraint system for securing children to gurney (e.g., Pedi Mate)	X	1					X	1											
Flashlight (battery operated with set of spare batteries)	X	1		X	1		X	1		X	1								
Emesis basin or disposable emesis bags and covered waste container	X	1					X	1											
Linen – towels, sheets, pillow cases, blankets, pillows	X	2	ea				X	2	ea										
Stopwatch	X	1		X	1		X	1		X	1								
Pen light	X	1		X	1		X	1		X	1								
Fire Extinguisher (10-B:C)	X	1					X	1											
<b>D. GENERAL ALS EQUIPMENT</b>	<b>BLST</b>	<b>QTY</b>	<b>UOM</b>	<b>BLSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>ALST</b>	<b>QTY</b>	<b>UOM</b>	<b>ALSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>CCT</b>	<b>QTY</b>	<b>UOM</b>	<b>HELO</b>	<b>QTY</b>	<b>UOM</b>	
Monitor/defibrillator (portable) – must have strip chart recorder, 12-lead, synchronized cardioversion, ETCO <sub>2</sub> monitoring, pulse oximetry monitoring, pacing capability and be compatible with the Lifenet Data Management System. Defibrillator capable of discharging below 25 joules for pediatric use.							X	1		X	1								
Extra charged batteries for monitor/defibrillator							X	1	ea	X	1	ea							
Electrodes							X	20	ea	X	20	ea							
Laryngoscope handle							X	1		X	1								
Non-invasive End-Tidal CO <sub>2</sub> (cannula)							X	2		X	2								
Non-invasive End-Tidal CO <sub>2</sub> adapter (ETT)							X	1		X	1								
Laryngoscope blades: 0, 1, 2, 3 & 4 (Miller)							X	1	ea	X	1	ea							

Laryngoscope blades: 2, 3 & 4 (Macintosh)								X	1	ea	X	1	ea						
Endotracheal tubes: 6.0, 7.0, 8.0, 9.0 cuffed								X	1	ea	X	1	ea						
Endotracheal tube introducer (Bougie)								X	1		X	1							
Stylet								X	1		X	1							
ETT securing device								X	2		X	2							
Batteries for laryngoscope								X	1	set	X	1	set						
Bulbs for laryngoscope								X	1		X	1							
Magill forceps (adult & pediatric)								X	1	ea	X	1	ea						
iGel S.A.D. Kit (Size 3, 4 & 5)								X	1	ea	X	1	ea						
Pleural Decompression/Needle Thoracostomy kit								X	2	set	X	2	set						
Thoracostomy needle – 14g 3.25 inch								X	2		X	2							
Continuous Positive Airway Pressure (CPAP) device (small, medium & large)								X	1	ea	X	1	ea						
<b>E. MEDICATIONS</b>	<b>BLST</b>	<b>QTY</b>	<b>UOM</b>	<b>BLSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>ALST</b>	<b>QTY</b>	<b>UOM</b>	<b>ALSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>CCT</b>	<b>QTY</b>	<b>UOM</b>	<b>HELO</b>	<b>QTY</b>	<b>UOM</b>	
Acetaminophen (10mg/10cc)							X	1000	mg	X	1000	mg							
Adenosine							X	18	mg	X	18	mg							
Albuterol (2.5mg/3ml unit dose ampule)							X	4	ea	X	4	ea							
Amiodarone (150mg/3ml ampule)							X	3	ea	X	3	ea							
Aspirin (81mg tablets)							X	168	mg	X	168	mg							
Atropine (1mg preload)							X	2	ea	X	2	ea							
Calcium Chloride							X	1	gm	X	1	gm							
Dextrose 10% (250 ml)							X	2	ea	X	2	ea							
Diphenhydramine (Benadryl)							X	100	mg	X	100	mg							
Epinephrine 1:1,000 (1mg/1cc)							X	2	ea	X	2	ea							
Epinephrine 1:10,000 (1mg/10cc)							X	6	ea	X	6	ea							
Epinephrine Auto-injector Adult (0.3mg)	X	1		X	1														
Fentanyl (50 mcg/ml)							X	200	mcg	X	200	mcg							
Glucagon (1mg/1cc)							X	1	ea	X	1	ea							
Ketamine (50mg/mL vial)							X	500	mg	X	500	mg							
Lidocaine 2%							X	100	mg	X	100	mg							
Midazolam (Versed) (ampule)							X	10	mg	X	10	mg							
Naloxone (Narcan) (ampule)							X	4	mg	X	4	mg							
Naloxone (Narcan) (IN preload)	X	4	mg	X	4	mg													
Nitroglycerin (0.4 mg/tab or multidose spray)							X	2	mg	X	2	mg							
Ondansetron (Zofran) (ODT)							X	8	mg	X	8	mg							
Ondansetron (Zofran) (vial)							X	8	mg	X	8	mg							
Pediatric Epinephrine Auto-injector (0.15mg)	X	1		X	1														
Saline solution (normal) (100cc)							X	2		X	2								
Saline solution (normal) (500cc or 1000cc)	X	2	liter	X	2	liter	X	4	liter	X	4	liter							
Sodium Bicarbonate (50mEq/50cc)							X	1		X	1								
<b>F. MEDICATION ADMINISTRATION</b>	<b>BLST</b>	<b>QTY</b>	<b>UOM</b>	<b>BLSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>ALST</b>	<b>QTY</b>	<b>UOM</b>	<b>ALSNT</b>	<b>QTY</b>	<b>UOM</b>	<b>CCT</b>	<b>QTY</b>	<b>UOM</b>	<b>HELO</b>	<b>QTY</b>	<b>UOM</b>	
Pedi-Tape®							X	1		X	1								
Mucosal Atomizer Device	X	1		X	1		X	2		X	2								
Glucose Paste	X	30	gm	X	30	gm	X	30	gm	X	30	gm							

